


the above named sequences, SEQ I NOS:1-41, in computer readable form, and a paper copy of the sequence information which has been printed from the floppy disc.

The information contained in the computer readable disk was prepared through the use of the software program "PatentIn" and is identical to that of the paper copy.

The sequence identified in the instant application as SEQ ID NO:1 was inadvertently omitted from the application but was incorporated by reference to priority application 60/150,452, filed August 24, 1999. Thus, Applicants believe that entry of the sequence into the instant application does not constitute new matter.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 650-326-2400.

Respectfully submitted,

  
Andrew T. Serafini, Ph.D.  
Reg. No. 41,303

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, 8<sup>th</sup> Floor  
San Francisco, California 94111-3834  
Tel: (415) 576-0200  
Fax: (415) 576-0300  
ATS:adm  
PA 3180739 v1

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE SPECIFICATION:**

The paragraph beginning on page 7, line 7, has been amended as follows:

Some human sequence antibodies of the invention comprise heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGSNKHYSVKG (SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO:[38]37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively.

The paragraph beginning on page 7, line 13, has been amended as follows:

Other human sequence antibodies of the invention comprise heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ ID NO:[39]38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively.

The paragraph beginning on page 8, line 3, has been amended as follows:

The invention provides a hybridoma cell line comprising a B cell obtained from a transgenic non-human animal having a genome comprising a human sequence heavy chain transgene and a human sequence light chain transgene, wherein the hybridoma produces a human sequence antibody that specifically binds to human CTLA-4. In a related embodiment, the hybridoma secretes a human sequence antibody that specifically binds human CTLA-4 or binding fragment thereof, wherein the antibody is selected from the group consisting of: a human sequence antibody comprising heavy chain heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH

(SEQ ID NO:27), FISYDGNKYYADSVKG (SEQ ID NO:32) and TGWLGPFDY (SEQ ID NO:37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVGSSYLA (SEQ ID NO:24), GAFSRAT (SEQ ID NO:29), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:17 and SEQ ID NO:7, respectively; a human sequence antibody comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGSNKHYADSVKG (SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO:[38]37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:19 and SEQ ID NO:9, respectively; or a human sequence antibody of claim 1, comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ ID NO:[39]38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:23 and SEQ ID NO:13, respectively.

Table 3, on page 74, lines 1-4, has been amended as follows:

Chain	HuMAb	CDR1	SEQ ID NO:	CDR2	SEQ ID NO:	CDR3	SEQ ID NO:
<b>Light Chain</b>	10D1	RASQSVGSSYLA	24	GAFSRAT	29	QQYGSSPWT	35
	4B6	RASQSVSSSFLA	25	GASSRAT	30	QQYGSSPWT	35
	1E2	RASQGISSWLA	26	AASSLQS	31	QQYNSYPPT	36
<b>Heavy Chain</b>	10D1	SYTMH	27	FISYDGNKYYADSVKG	32	TGWLGPFDY	37
	4B6	SYTMH	27	FISYDGSNKHYADSVKG	33	TGWLGPFDY	[38]37
	1E2	SYGMH	28	VIWYDGSNKYYADSVKG	34	APNYIGAFDV	[38]38

The paragraph beginning on page 76, line 16, has been amended as follows:

The kappa light chain plasmid, pCK7-96 (SEQ ID NO:[40]39), includes the kappa constant region and polyadenylation site, such that kappa sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and BbsI, and cloned into pCK7-96 digested with HindIII and BbsI to reconstruct a complete light chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/NotI fragment and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

The paragraph beginning on page 76, line 23, has been amended as follows:

The gamma1 heavy chain plasmid, pCG7-96 (SEQ ID NO:[41]40), includes the human gamma1 constant region and polyadenylation site, such that gamma sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and AgeI, and cloned into pCG7-96 digested with HindIII and AgeI to reconstruct a complete gamma1 heavy chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/SalI fragment and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

The paragraph beginning on page 76, line 31, has been amended as follows:

The gamma4 heavy chain plasmid, pG4HE (SEQ ID NO:[42]41), includes the human gamma4 constant region and polyadenylation site, such that gamma sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and AgeI, and cloned into pG4HE digested with HindIII and AgeI to reconstruct a complete gamma4 heavy chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/EcoRI fragment and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

The following new paragraph has been inserted immediately before the paragraph beginning on page 93, line 1, of the specification:

SEQ ID NO:1 pGP1k

```
AATTAGCGGC CGCTGTCGAC AAGCTTCGAA TTCAGTATCG ATGTGGGGTA 50
CCTACTGTCC CGGGATTGCG GATCCGCGAT GATATCGTTG ATCCTCGAGT 100
GCGGCCGCGAT ATGCAAAAAA AAAGCCCGCT CATTAGGCGG GCTCTTGGA 150
GAACATATCC ATCGCGTCCG CCATCTCCAG CAGCCGCACG CGGCGCATCT 200
CGGGCAGCGT TGGGTCCTGG CCACGGGTGC GCATGATCGT GCTCCTGTCG 250
TTGAGGACCC GGCTAGGCTG GCGGGGTTGC CTTACTGGTT AGCAGAATGA 300
ATCACCGATA CGCGAGCGAA CGTGAAGCGA CTGCTGCTGC AAAACGTCTG 350
CGACCTGAGC AACAACATGA ATGGTCTTCG GTTTCCTGTG TTCGTAAAGT 400
CTGGAAACGC GGAAGTCAGC GCCCTGCACC ATTATGTTCC GGATCTGCAT 450
CGCAGGATGC TGCTGGCTAC CCTGTGGAAC ACCTACATCT GTATTAACGA 500
AGCGCTGGCA TTGACCCTGA GTGATTTTTC TCTGGTCCCG CCGCATCCAT 550
ACCGCCAGTT GTTTACCCTC ACAACGTTCC AGTAACCGGG CATGTTTCATC 600
ATCAGTAACC CGTATCGTGA GCATCCTCTC TCGTTTCATC GGTATCATTA 650
CCCCCATGAA CAGAAATTC CCCTTACACG GAGGCATCAA GTGACCAAAC 700
AGGAAAAAAC CGCCCTTAAC ATGGCCCGCT TTATCAGAAG CCAGACATTA 750
ACGCTTCTGG AGAAACTCAA CGAGCTGGAC GCGGATGAAC AGGCAGACAT 800
CTGTGAATCG CTTACGACC ACGCTGATGA GCTTTACCGC AGCTGCCTCG 850
CGCGTTTCGG TGATGACGGT GAAAACCTCT GACACATGCA GCTCCCGGAG 900
ACGGTCACAG CTTGTCTGTA AGCGGATGCC GGGAGCAGAC AAGCCCGTCA 950
GGGCGCGTCA GCGGGTGTTG GCGGGTGTCG GGGCGCAGCC ATGACCCAGT 1000
CACGTAGCGA TAGCGGAGTG TATACTGGCT TAACTATGCG GCATCAGAGC 1050
AGATTGTACT GAGAGTGCAC CATATGCGGT GTGAAATACC GCACAGATGC 1100
GTAAGGAGAA AATACCGCAT CAGGCGCTCT TCCGCTTCCT CGCTCACTGA 1150
CTCGCTGCGC TCGGTCTGTT GGCTGCGGCG AGCGGTATCA GCTCACTCAA 1200
AGGCGGTAAT ACGGTTATCC ACAGAATCAG GGGATAACGC AGGAAAGAAC 1250
ATGTGAGCAA AAGGCCAGCA AAAGGCCAGG AACCGTAAAA AGGCCGCGTT 1300
GCTGGCGTTT TTCCATAGGC TCCGCCCCC TGACGAGCAT CACAAAAATC 1350
GACGCTCAAG TCAGAGGTGG CGAAACCCGA CAGGACTATA AAGATACCAG 1400
GCGTTTCCCC CTGGAAGCTC CCTCGTGCGC TCTCCTGTTT CGACCCTGCC 1450
GCTTACCGGA TACCTGTCCG CCTTTCTCCC TTCGGGAAGC GTGGCGCTTT 1500
CTCATAGCTC ACGCTGTAGG TATCTCAGTT CGGTGTAGGT CGTTCGCTCC 1550
AAGCTGGGCT GTGTGCACGA ACCCCCCGTT CAGCCCGACC GCTGCGCCTT 1600
ATCCGGTAAC TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC 1650
CACTGGCAGC AGCCAGGCGC GCCTTGCCCT AAGAGGCCAC TGGTAACAGG 1700
ATTAGCAGAG CGAGGTATGT AGGCGGTGCT ACAGAGTTCT TGAAGTGGTG 1750
GCCTAACTAC GGCTACACTA GAAGGACAGT ATTTGGTATC TGCCTCTGTC 1800
TGAAGCCAGT TACCTTCGGA AAAAGAGTTG GTAGCTCTTG ATCCGGCAAA 1850
CAAACCACCG CTGGTAGCGG TGGTTTTTTT GTTTGCAAGC AGCAGATTAC 1900
GCGCAGAAAA AAAGGATCTC AAGAAGATCC TTTGATCTTT TCTACGGGGT 1950
CTGACGCTCA GTGGAACGAA AACTCACGTT AAGGGATTTT GGTCATGAGA 2000
TTATCAAAAA GGATCTTCAC CTAGATCCTT TAAATTTAAA AATGAAGTTT 2050
TAAATCAATC TAAAGTATAT ATGAGTAAAC TTGGTCTGAC AGTTACCAAT 2100
GCTTAATCAG TGAGGCACCT ATCTCAGCGA TCTGTCTATT TCGTTCATCC 2150
ATAGTTGCCT GACTCCCCGT CGTGTAAGTA ACTACGATAC GGGAGGGCTT 2200
ACCATCTGGC CCCAGTGCTG CAATGATACC GCGAGACCCA CGCTCACCAG 2250
CTCCAGATTT ATCAGCAATA AACCAGCCAG CCGGAAGGGC CGAGCGCAGA 2300
AGTGGTCCTG CAACTTTATC CGCCTCCATC CAGTCTATTA ATTGTTGCCG 2350
GGAAGCTAGA GTAAGTAGTT CGCCAGTTAA TAGTTTGCGC AACGTTGTTG 2400
CCATTGCTGC AGGCATCGTG GTGTACGCTG CGTCGTTTGG TATGGCTTCA 2450
TTCAGCTCCG GTTCCCAACG ATCAAGGCGA GTTACATGAT CCCCCATGTT 2500
```

GTGCAAAAAA GCGGTTAGCT CCTTCGGTCC TCCGATCGTT GTCAGAAGTA 2550  
AGTTGGCCGC AGTGTTATCA CTCATGGTTA TGGCAGCACT GCATAATTCT 2600  
CTTACTGTCA TGCCATCCGT AAGATGCTTT TCTGTGACTG GTGAGTACTC 2650  
AACCAAGTCA TTCTGAGAAT AGTGTATGCG GCGACCGAGT TGCTCTTGCC 2700  
CGGCGTCAAC ACGGGATAAT ACCGCGCCAC ATAGCAGAAC TTAAAAAGTG 2750  
CTCATCATTG GAAAACGTTT TTCGGGGCGA AAACCTCTCA GGATCTTACC 2800  
GCTGTTGAGA TCCAGTTCGA TGTAACCCAC TCGTGACCC AACTGATCTT 2850  
CAGCATCTTT TACTTTCACC AGCGTTTCTG GGTGAGCAAA AACAGGAAGG 2900  
CAAAATGCCG CAAAAAAGGG AATAAGGGCG ACACGGAAAT GTTGAATACT 2950  
CATACTCTTC CTTTTTCAAT ATTATTGAAG CATTTATCAG GGTTATTGTC 3000  
TCATGAGCGG ATACATATTT GAATGTATTT AGAAAAATAA ACAAATAGGG 3050  
GTTCCGCGCA CATTTCCTCCG AAAAGTGCCA CCTGACGTCT AAGAAACCAT 3100  
TATTATCATG ACATTAACCT ATAAAAATAG GCGTATCACG AGGCCCTTTC 3150  
GTCTTCAAG 3159

The paragraph beginning on page 93, line 1, has been amended as follows:

**pCK7-96 (Nucleotide residues 3376 to 3881)(SEQ ID NO:39)**

AGGAGAATGAATAAATAAAGTGAATCTTTGCACCTGTGGTTTCTCTCTTTCCTCAATTTAATAATTATT  
ATCTGTTGTTTACCAACTACTCAATTTCTCTTATAAGGGACTAAATATGTAGTCATCCTAAGGCGCATA  
ACCATTTATAAAAAATCATCCTTCAATTCTATTTTACCCTATCATCCTCTGCAAGACAGTCCTCCCTCAA  
CCCACAAGCCTTCTGTCTCACAGTCCCCTGGGCCATGGATCCTCACATCCCAATCCGCGGCCGCAATT  
CGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACAATTCCACACAACATACGAG  
CCGGAAGCATAAAGTGTAAGCCTGGGGTGCCCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGCT  
CACTGCCCGCTTTCCAGTCGGGAAACCTGTGCGTCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGA  
GAGGCGGTTTTCGTATTGGGCGC

The paragraph beginning on page 93, line 8, has been amended as follows:

**pCG7-96 (SEQ ID NO:[41]40)**

The paragraph beginning on page 94, line 12, has been amended as follows:

**pG4HE (SEQ ID NO:[42]41)**

The paragraph beginning on page 95, line 17, has been amended as follows:

**10D1 VH(SEQ ID NO:16)**

The paragraph beginning on page 95, line 27, has been amended as follows:

**10D1 VK(SEQ ID NO:6)**

The paragraph beginning on page 95, line 37, has been amended as follows:

**4B6 VH(SEQ ID NO:18)**

The paragraph beginning on page 95, line 47, has been amended as follows:

**4B6 VK(SEQ ID NO:8)**

The paragraph beginning on page 95, line 57, has been amended as follows:

**1E2 VH(SEQ ID NO:22)**

The paragraph beginning on page 96, line 7, has been amended as follows:

**1E2 VK(SEQ ID NO:12)**

IN THE CLAIMS:

31. (Amended) The human sequence antibody of claim 1, comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGSNKHYADSVKG (SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO:[38]37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively.

32. (Amended) The human sequence antibody of claim 1, comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ

ID NO:[39]38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively.

Claim 46. (Amended) A hybridoma secreting a human sequence antibody that specifically binds human CTLA-4 or binding fragment thereof, wherein the antibody is selected from the group consisting of:

a human sequence antibody comprising heavy chain heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGNNKYYADSVKG (SEQ ID NO:32) and TGWLGPFDY (SEQ ID NO:37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVGSSYLA (SEQ ID NO:24), GAFSRAT (SEQ ID NO:29), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:17 and SEQ ID NO:7, respectively,

a human sequence antibody comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGSNKHYADSVKG (SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO:[38]37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:19 and SEQ ID NO:9, respectively, and

a human sequence antibody of claim 1, comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ ID NO:[39]38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:23 and SEQ ID NO:13, respectively.